

FIGURE 1






FIGURE 1A

DISPENSING HEAD IN
DYNAMIC STORAGE
LOOP POSITION

**FIGURE 1B**

DISPENSING HEAD IN
DISPENSING POSITION

**FIGURE 1C**

DISPENSING HEAD IN
NEXT TO LAST
DISPENSING POSITION





FIGURE 1D


FROM ICE CREAM
DISPENSING HEAD




PISTONS 73 & 75
IN DYNAMIC STORAGE
LOOP FLOW THROUGH
POSITION

FIGURE 1E

FROM ICE CREAM
DISPENSING HEAD




PISTONS 73 & 75
IN WASTE DISPOSAL
POSITION




**MIX STERILIZATION HEAD
IN CLOSED AND SEALED POSITION**

FIGURE 2A




PIERCING PISTON TIP

FIGURE 2B




FULL CLEARANCE WITH FULLY
RETRACTED PIERCING VALVE

FIGURE 2D




10/18

FIGURE 2E



FULL PRESSURE ORING SEAL
WITH PIERCED SEAL

FIGURE 3




12/18


FIGURE 3A

MIX HEAD


TOP VIEW




LIQUID / GAS
CROSS SECTION "AA"



ABS LUBRICANT
CROSS SECTION "BB"



CROSS SECTION
VIEW



BOTTOM VIEW




FIGURE 3B

6 PORT (WAY) EMULSIFICATION BARREL ASSEMBLY

all surfaces are 90 degrees from one another

Sanitary Fittings used throughout




FIGURE 3C

O-RING COMPRESSOR




FIGURE 4




FIGURE 5




FIGURE 5A




FIGURE 6

